

---

Subject: Re: Jar file from Linux build

Posted by [nbehrnd](#) on Tue, 11 Oct 2022 07:13:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear nats,

I would suggest to select either a) to use one of the installers the download page[1] offers (since you mention Linux, the one available specific for Linux[2]), or to build the DataWarrior executable with the source code provided by the GitHub page.[3] To use the installer in the first place goes beyond convenience of (typically) «everything on board», because it includes a Java Runtime Environment known to support the application. In case of a local installation of DW e.g., in Linux Debian 12/bookworm (or earlier Xubuntu 18.04LTS), this creates a short cut in the program pull-down menu (section «office»). Since AWS equally offers instances in Debian and Ubuntu, I would try to use these OSes. Preference would be given to use a light desktop environment/a minimal installation (e.g., `sudo apt-get install --no-install-recommends xubuntu-desktop`) to keep the footprint (CPU/RAM, hardware space) of programs not related to your work with DataWarrior small.

The installers however provide DW as published in April 2021. Subsequent improvements of the program are available by archives to update an already existing and functional installation. Except to remove bugs, these archives are released about once all 15 days and are available from the same address after you acknowledge the fine print. There is one .zip for Linux and MacOS in common.[4] So, while DataWarrior is closed, decompress this smaller archive (ca 20MB) and move all its content into /opt/datawarrior to overwrite some of the files put there by the installer -- the later requires elevated privileges of a superuser/root. Then restart the program.

Though it is not necessary, I supplemented the installation by definition of an alias in the ~/.bashrc file

```
alias dw="/opt/datawarrior/datawarrior"
```

This allows to launch DW by typing `dw` on the terminal. For an activation, run

```
$ source ~/.bashrc
```

once ~/.bashrc was edited and closed.

With regards,

Norwid

[1] <https://openmolecules.org/datawarrior/download.html>

[2] [https://openmolecules.org/datawarrior/datawarrior550.tar\\_gz](https://openmolecules.org/datawarrior/datawarrior550.tar_gz)

[3] <https://github.com/thsa/datawarrior>

[4] <https://openmolecules.org/datawarrior/dw550x.zip>

---