
Subject: thresholds and weights of toxicity risk
Posted by [nbehrnd](#) on Tue, 22 Aug 2023 15:45:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Thomas,

the generation of evolutionary libraries can be restrained by fitness criterion «toxicity risk». Based on some preliminary tests, I have difficulties to comprehend the thresholds available. Departing from «nasty functions» as one of DW's calculated properties, one could assume DW counts functional groups. The suggested default is 2, an integer. Then, choosing a toxicity risk less or equal to zero would render the restraint a constraint.

Interestingly, however, DataWarrior equally permits to enter an upper threshold as a real/floating number (a negative one like ` -1.23` does not hinder DW to work either).

Can you please share some insight how to engage well these thresholds? Do the weights act on a linear penalty scale to provide the fitness criterion greater influence on the overall fitness of the molecules suggested? (DW's internal documentation (via F1) includes the string «toxicity» only once.)

Best regards,

Norwid

File Attachments

1) [toxicity_risk.png](#), downloaded 425 times




Build Evolutionary Library

Root generation compounds: Default

Build at task execution time

Details...



(Select sub-structures to protect them from being changed)

automatic Cycle

Create compounds like Approved drugs

128 Compounds per cycle

8 Compounds survive a cycle

Total run count:

1

Fitness Criteria

Add Criterion ->


Toxicity Risk

Create molecules dissimilar to all

Custom structure(s)

Descriptor used: SkelSpheres

Weight: 1.0 0.25 1.0 4.0



Prefer 'Toxicity Risk' >= and <= 2

Weight: 1.0 0.25 1.0 4.0

Help

Cancel

OK