

---

Subject: Use label in Form Table

Posted by [yuan](#) on Mon, 12 Aug 2024 07:17:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi thomas,

Thank you for previous modification on mergeing equivalent rows. Currently we want to make a template to display experimental data in a form table. As the title for each column was named to discriminate different assay, it is sometimes too long. If we display these column in form table, it is hardly to see all the text. So we need to decrease the fond size. However, the font size of data is decreasing simultaneously.

We wonder whether we can add custom label in the form table. Then we can display only the column data around the label in different fond size. Many thanks.

Yuan

---

### File Attachments

1) [DW tmp.jpg](#), downloaded 757 times

ParentID		<b>Bio_IC50(nM)</b>			
		Bio Absolute IC	Bio Absolute IC	Bio Absolute IC	
Structure		Cellular Absolute IC5	Cellular Absolute IC	Cellular Absolute IC5	
		CYP CYP450	CYP Inhibition(%)	-2 Papp(A-B)(10-6 cm	o-
	ERG Inhibition(%)			3CRP Papp(A-B)(10-6	MD
MS Species	MS T1/2(min)	PPB Species	B Fraction of Bound (	PS Species	
PK Species	PK Ad	PK Dose(mg/kg)	PK T1/2(h)	PK Cmax(ng/mL)	PK

How to use custom label as title instead of column title?

How to make title and data use individual font sizes?

2) [dw.jpg](#), downloaded 747 times

<b>ParentID:</b>		<b>Bio Absolute IC50</b>	<b>Bio Absolute IC50</b>	<b>Absolute IC50</b>
			1.68	5.87
<b>Structure:</b>		<b>Cellular Absolute IC50</b>	<b>Cellular Absolute IC</b>	<b>Cellular Absolute IC50</b>
		0.0898		0.0829
<b>hERG Inhibition(%):</b>		<b>CYP CYP450:</b>	<b>CYP Inhibition(%):</b>	<b>Caco-2 Papp(A-B)(10-6 cm·s·)</b>
<b>MS Species:</b>	<b>MS T1/2(min):</b>	<b>PPB Species:</b>	<b>PPB Fraction of Bound (%):</b>	<b>PS Species:</b>
<b>PK Species:</b>	<b>PK Ad:</b>	<b>PK Dose(mg/kg):</b>	<b>PK T1/2(h):</b>	<b>PK Cmax(ng/mL):</b>

Title is too long, can not display all the text

individual font size