

---

Subject: Suggest: select within cluster by property  
Posted by [DrCJM](#) on Fri, 29 May 2020 02:06:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Something I'd find really useful, that I can't see how to do at present, is to select compounds after clustering by a particular property. The "representative" compound in a cluster is identified, I assume, as the most "central" compound in the cluster, which is fine. But sometimes I want to select the most active compound in the cluster, or the smallest MW in the cluster etc. etc.

If that's already possible, advice on how would be great!

Otherwise, a method of saying "Select from each cluster by value of property X" is something I'd use a lot.

Cheers,

Craig.

---

---

Subject: Re: Suggest: select within cluster by property  
Posted by [thomas](#) on Sat, 30 May 2020 15:19:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Assuming you have cluster numbers in a column called 'Cluster No' and molecular weights in a column called 'Molweight', then you could use "Data->Add Calculated Values...", configure the dialog as follows:


This creates a new column with a '1' value for all cluster members that have the lowest molecular weight within their own cluster. All other rows have a '0' in that column. Note that the Molweight column should not be set to use logarithmic behaviour. I need to fix an issue there.

Thomas

### File Attachments

1) [smallestInCategory.png](#), downloaded 1140 times

---



---

Subject: Re: Suggest: select within cluster by property  
Posted by [DrCJM](#) on Mon, 01 Jun 2020 01:35:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi Thomas,

when I try that I get an error: Function "categoryMin" requires 3 parameters

I'll play around and see if I can figure out how to get it working, but any further advice would be great.

EDIT

OK, got it to work, it needed the category value defined, so format is:

```
categoryMin(ClusterNo,"Cluster No","Molweight")
```

which generates a new column with the lowest Molweight for the cluster added to every row (same value for all members of the cluster). With that, and my now finding the appropriate

functions in the Help page I think I can do what I need to do.

Cheers,

Craig.

---

---

Subject: Re: Suggest: select within cluster by property

Posted by [thomas](#) on Fri, 05 Jun 2020 14:34:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Craig,

sorry this slipped my attention. The category functions were simplified during recent months to only use two parameters. The official version 5.2.1 still uses the 3 parameter form. Under this link you always find about weekly releases of replacement files of the most recent development cycle: [openmolecules/datawarrior/dw521win.zip](#) (Windows) and [dw521x.zip](#) (Mac/Linux). They have many fixes, new features, but often not up-to-date manual pages. And new features are sometimes in experimental state.

Best wishes, Thomas

---