
Subject: RHEL 7x - DW 6x - Error on open
Posted by [dallis11](#) on Mon, 22 Apr 2024 22:28:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am trying to install dw on an NFS resource - under /data/opt/datawarrior as opposed to /opt/datawarrior locally.

I have changed the ref's in the install files yet on open is giving "data warrior application cannot be found - /opt/datawarrior/datawarrior_all.jar.

My datawarrior file:

```
#!/bin/bash
DWJAR="/data/opt/datawarrior"
# increase -Xms and -Xmx options, if you have plenty of memory
# insert "-Ddpifactor=1.5" (without quotes) after -X options to manually define UI element scaling
to 150% for HiDPI monitors
# insert " -Ddatapath=/home/username/data/datawarrior:/home/username/data/mydata " (without
quotes) after -X options to define commonly used data directories
/data/opt/datawarrior/jre/bin/java -Xms4096m -Xmx512g -splash:/data/opt/datawarrior/loading.png
--add-exports java.base/jdk.internal.module=ALL-UNNAMED -Dfile.encoding=UTF-8 -cp
$DWJAR/datawarriorlauncher.jar:$DWJAR/capka.jar
org.openmolecules.datawarrior.launcher.DataWarriorLauncher $*
```

Seems to be still looking under /opt as opposed to /data/opt. Is there somewhere else it could be looking? Thanks!

Subject: Re: RHEL 7x - DW 6x - Error on open
Posted by [nbehrnd](#) on Tue, 23 Apr 2024 20:59:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello dallis,

while I have no experience with calling DW via a NFS, I set an alias in my `~/.bashrc` file, i.e.

```
...
alias dw="/opt/datawarrior/datawarrior"
...
```

to launch the program equally from the CLI by a brief `dw` (in Linux Debian). Could a similar link -- adjusted to the address of the executable in your setup -- work?

Norwid

Subject: Re: RHEL 7x - DW 6x - Error on open
Posted by [thomas](#) on Sun, 12 May 2024 10:02:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

it is difficult to reliably figure out in a cross-platform way the file path of running jar within the running byte code. Therefore, DataWarrior uses hard coded installer paths, which should not be changed, because not only the datawarrior_all.jar and its automatic updates, but also all example files, macros and plugins rely on this path.

I didn't try, but possibly a link at /opt/datawarrior that points to /data/opt/datawarrior could work?!
