
Subject: Create a macro to split a .dwar file into multiple .dwar files

Posted by [SM2020](#) on Thu, 15 Aug 2024 12:47:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I would like some help with setting up a DW macro to split a .dwar file into multiple .dwar files, please.

I am running DW version 6.0

Aim: To split a .dwar file into multiple .dwar files using a common identifier (e.g. compound ID).

Intended result: The resulting new .dwar files should have all the fields present from the original parent .dwar file but only for a subset of compounds (defined by the "compound ID" field).

I'm not sure of the syntax needed to achieve this. Not sure where to start...

If the community could provide some help, that would be appreciated.

Thank you.

Subject: Re: Create a macro to split a .dwar file into multiple .dwar files

Posted by [nbehrnd](#) on Thu, 15 Aug 2024 18:16:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

for a one-at-a-time, DW very well can help you. Attached below the macro, raw data set and results, and a brief demo with DW 06.02.03

The idea is to check for the presence of a particular string in the column identifier. For this, the macro asks every line the same test question by the formula

```
...
```

```
if (identifier == askString("enter the identifier of interest"), "true", "false")
```

```
...
```

if a specific string is present at this intersection. The newly calculated column will contain an entry `true` if this is the case, or else the string `false`. (Of course you could opt-in for `active`, `inactive` to designate the two, too.) The flexibility you want is provided by DataWarrior's function `askString()` to allow to recycle the macro's function, to filter for records with an other string in this field. Watch out the pane to the right hand side: we now have a filter which allows to save the visible records per level `true`, or `false`.


While running the macro editor, a double click on `save visible rows` allows you to toggle off the question to manually define the file name (for this sub set of data). This can be useful if i) raw data and the new files to be written are every time in the same location, and ii) the output should every time the same, e.g. `positive.dwar` and `negative.dwar`.

Best regards,





Norwid

File Attachments

- 1) [filter_by_string.dwam](#), downloaded 386 times
- 2) [raw_data.dwar](#), downloaded 318 times
- 3) [true.dwar](#), downloaded 394 times
- 4) [false.dwar](#), downloaded 401 times
- 5) [demo.gif](#), downloaded 706 times



The screenshot shows a software window titled "raw_data.dwar" with a menu bar (File, Edit, Data, Chemistry, Database, List, Macro, Help). The main area is divided into three panes. The left pane contains a table with the following data:

Structure of structure	structure	identifier
	c1ccccc1	C001
	c1ccncc1	C002
	CCOCC	C003
H_2O	O	C004
	c1ccccc1C	C005

The middle pane shows a "Structure of structure" view with a search bar and several chemical structure icons (benzene, pyridine, ether, water, toluene). The right pane is a "Category Browser" showing "Column: Structure of structure" and a "Data" table with columns "Column Name" and "Value". The "Data" table contains the following entries:

Column Name	Value
structure	
identifier	

At the bottom of the window, it displays "179 of 512 MB", "Selected:", "Visible:5", and "Total:5".

Subject: Re: Create a macro to split a .dwar file into multiple .dwar files
Posted by [SM2020](#) on Sat, 17 Aug 2024 13:02:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you for your help.

Best wishes.
