
Subject: Re: Comparing Structure Files

Posted by [nbehrnd](#) on Thu, 13 Jan 2022 22:44:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Oliver,

your question contains little material to replicate your finding. Thus, it is difficult to identify a plausible cause for your observation.


On the other hand, I created two tiny libraries of drug-like molecules (chemistry -> generate random molecules) where the defaults were modified slightly (instead of 1000, I opted for 100 molecules each). Subsequently, while reading `set_b.dwar`, I selected `set_a.dwar` for a comparison. With a `structureFp` threshold lowered to 70%, DW identified 13 molecules as similar enough. Raw data, set up of the parameters, and result files in the attachment below. Perhaps the threshold set by you was too high? The criterion «structure exact» isn't a restraint, it is meant as a constraint*); any variation in the molecule to check vs. the reference molecule and the test assigns the two as dissimilar.

*) which may be weakened in regard of stereochemistry, tautomers, or application on the largest fragment only.

Norwid

File Attachments

- 1) [set_a.dwar](#), downloaded 625 times
- 2) [set_b.dwar](#), downloaded 610 times
- 3) [parametres.png](#), downloaded 712 times



- 4) [Similar Compounds.dwar](#), downloaded 610 times
 - 5) [Dissimilar Compounds.dwar](#), downloaded 614 times
-