
Subject: Copy and Paste 3D Pose

Posted by [sbembenek18](#) on Sun, 08 Jan 2023 05:59:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

If I have given DW docking poses (SDF input), can I simply copy and paste it from DW while preserving the original coordinates? How?

Subject: Re: Copy and Paste 3D Pose

Posted by [nbehrnd](#) on Sun, 08 Jan 2023 18:25:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

In case you use a three-button mouse, right-click on the cell (table view) opens a pull-down menu to paste a structure (.mol previously read into the RAM of the computer). By recollection, the coordinates are not 1:1 the ones you copied from the mol file when reading the numbers, but distances/angles between them are retained.

Norwid

Subject: Re: Copy and Paste 3D Pose

Posted by [sbembenek18](#) on Tue, 10 Jan 2023 03:24:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm looking to copy the 3D coords from DW into another program. So, I right click on the structure in DW (as you describe) -->

And try copying it as either 'Molfile v3' or '3D-Structure' but neither gives the 3D coords.

Is there another way?

Subject: Re: Copy and Paste 3D Pose

Posted by [nbehrnd](#) on Tue, 10 Jan 2023 07:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

I think you refer to the (interactive) structure display which shows e.g., the superposition of conformers. One can pick one molecule at a time from this one (right click on the molecule of interest when it no longer uses the CPK colors, but is uniform turquoise), however the representation (possibly) is the 2D/3D idcode string only (the format equally used internally in the .dwar file. To best of my current knowledge, this window does not yet allow the direct export of one, or about all the molecules displayed as .sdf. I'm going to perform some additional tests during the day.*)

Norwid

* I once suggested to openbabel to add reading/exporting DW's idcodes. So far, the incentive

was not convincing / attractive enough (<https://github.com/openbabel/openbabel/issues/2311>).

Subject: Re: Copy and Paste 3D Pose

Posted by [sbembenek18](#) on Sun, 15 Jan 2023 23:14:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yeah, I think having this (the ability to copy and paste a 3D molecule's original coordinates (as SDF/MOL format from DW)) into another program would be a very powerful feature.

Subject: Re: Copy and Paste 3D Pose

Posted by [thomas](#) on Wed, 18 Jan 2023 15:12:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for the suggestion. In case a structure column has one or multiple 3D coordinate sets attached, then the popup menu's 'Copy Structure As' submenu from any 2D-structure image in the table or structure view contains a 'Molfile V2' and 'Molfile V3' option for every 3D coordinate set associated with this structure.

By the way: The original 'Copy Structure As -> 3D-Structure' indeed provides a 3D structure in various formats for the clipboard, but depending on the application that receives the paste and decides, which format is actually used, the Z-coordinate may get lost.

Anyway, copying the molfile should work for all applications that can handle a paste molfile. The change is already deployed in the dev version.

Subject: Re: Copy and Paste 3D Pose

Posted by [sbembenek18](#) on Mon, 23 Jan 2023 22:41:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Thomas,

When I use the copy 'Molfile V2' or 'Molfile V3' option in this way, it copies 2D coordinates produced by DW, not the original 3D coords loaded from the SDF. Is it possible to get to the original 3D coords via a simply copy command in DW?

thanks,

Scott

Subject: Re: Copy and Paste 3D Pose

Posted by [thomas](#) on Wed, 25 Jan 2023 11:50:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Scott,

No, because when DataWarrior reads an SD-file, it creates a memory efficient molecule from that. The original SD-File content is not kept with a DataWarrior document. When reading from a 3D SD-file record, the relative orientation of the atoms is retained with a reasonable accuracy. The absolute position of the molecule is retained as well, but not exactly. Thus, when a new 3D-SD-file is created from the molecule, it will be moved slightly in space, which is typically much less than an Angstrom.

Thomas

Subject: Re: Copy and Paste 3D Pose

Posted by [nbehrnd](#) on Wed, 25 Jan 2023 14:59:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Scott,

DataWarrior's window "3D structure" allows (double click on the molecule of interest) to extract a string which includes the molecule's structure (as the sketcher / spread sheet uses) as well as the 3D coordinates. The string may be exported to a text editor as an intermediate storage. Now, the .dwar file equally stores this information, though in a slightly different sequence, which however may be adjusted and can be used to write a new container.dwar.

I gave the idea a spin to construct a small Python script (attached in the .zip below). In an initial test, I let openbabel generate an alkylated pyridine written into a .sdf accessible to DW. If the script processes the string copied from the 3d structure window (export molecule 3D) to write a new container.dwar, the export of this as a .sdf retains the 3D conformation. Yes, there is some difference between the very input structure, and the one eventually exported after this «round trip». Aiming for a quantification e.g., by a Kabsch test (e.g., rmsd in Python, initiated by Jimmy Kromann), the remaining difference between the two files about this small molecule (four single bonds where rotation can change the conformation) is tiny by number. The superposition of the two in Jmol does not reveal a significant difference, either.

For now, this is a sketch which could be developed further.

Norwid

https://github.com/nbehrnd/datawarrior_conformer_export

File Attachments

1) [2023-01-25_datawarrior_conformer_export.zip](#), downloaded 376 times

Subject: Re: Copy and Paste 3D Pose

Posted by [sbembenek18](#) on Thu, 02 Feb 2023 22:26:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for this.
