
Subject: Row Wise Sum

Posted by [amorrison](#) on Tue, 13 Jun 2023 08:46:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I'm trying to do a row wise sum of several columns within a Row to get a total value. In some cases there will be a empty value within a particular row. I've tried both `sum(x,y,z)` and also `(x+y+z)`, this works fine for rows that are fully populated but for rows that have a empty value I get 'NAN' returned. Can I force it to ignore this and give me the sum even when there is a empty value?

In addition, is it possible to get a count of the populated values within the row? So for example, within the row 4 out of 5 of the columns have data, the number I would like to return is "4".

Just in case this is the issue, I am using an if statement to generate the numbers with an initial `if(isempty(var),"", "Do something else")`.

Many thanks,

Angus

Subject: Re: Row Wise Sum

Posted by [nbehrnd](#) on Tue, 13 Jun 2023 18:49:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Angus,

to answer the first question, you need a placeholder which either returns ``0`` (if there is nothing in the cell), or the value of the cell (if the cell contains an entry acceptable for an addition); ``replaceempty`` is suitable here. For the second question, you already tap against a good door; you now need to know how to negate a Boolean in DataWarrior's syntax.

For the purpose of illustration, I attach a minimal working example below. Departing from a small library of random molecules, DataWarrior computes the number of H-Donors and H-Acceptors. Manually added -- leaving some gaps is intentional -- two additional columns with manual entries, ``counter_a`` and ``counter_b``. The ``special_sum`` then

```
HAcceptors + HDonors + replaceempty(counter_a, 0) + replaceempty(counter_b, 0)
```

either adds either the results of DataWarrior's intrinsic functions plus the zeroes, or the values of the additional columns. To count the the non-empty columns ``!`` offers to define

!isempty(HAcceptors) + !isempty(HDonors) + !isempty(counter_a) + !isempty(counter_b)

You can access, adjust and update the equations in question in the header cell of the corresponding column 7 and 8 (click with the right mouse button).

With regards,

Norwid

File Attachments

1) [2023-06-13_Random_Molecules.dwar](#), downloaded 490 times

Subject: Re: Row Wise Sum

Posted by [amorrison](#) on Wed, 14 Jun 2023 06:44:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Norwid,

Many thanks that worked a treat.

Best regards,

Angus
